


Greenvizion Roller Shade Price Guide



EFFECTIVE MARCH 2009



UNIVERSAL WINDOW COVERINGS, INC.

12139 Science Dr. Suite 101 Orlando, FL 32826

(407) 275-1455 1-800-494-9636 FAX (407) 275-6919 FAX 1-866-872-0672

www.universalwc.com



Table of Contents

Roller Shade Specifications..... 2
 Price Charts..... 3-7
 Roller Shade Options..... 7
 AC Motorization..... 8
 Battery Motorization 8
 Installation..... 9
 Fabric Weights 10
 Warranty..... 10
 Order Form..... 11

Roller Shade Specifications

Allowances:

- Inside Mount: 1/4"
- Outside Mount: Exact Measurements

Bottom Rail Options:

- Sealed hem with aluminum inserts
- External aluminum hem bar

Maximum Width:

Please refer to the maximum width chart to determine the maximum width of a shade. Shade's wider than the maximum width will be made railroaded (with the fabric turned width for length).

***Every roller shade is manufactured with a clutch system using a color coordinated plastic bead chain.



Price Charts - Retail

Chart 1														
Timeless & Timeless Duplex														
HEIGHT TO:	WIDTH TO:													
	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	*144"	*156"	*168"
36"	84	95	124	135	146	163	171	187	203	285	304	372	395	419
48"	91	103	134	146	159	178	187	205	224	308	329	399	425	450
60"	98	112	144	158	172	193	203	223	245	331	354	426	454	482
72"	105	120	154	169	184	208	219	241	265	353	379	454	483	513
84"	111	128	163	180	197	223	235	259	286	376	404	481	513	545
96"	118	137	173	192	210	238	251	277	306	399	428	508	542	576
108"	125	145	183	203	223	252	267	296	388	422	453	535	571	608
120"	132	153	193	215	236	267	283	314	408	445	478	562	601	639
Each Add 12"	9	12	14	16	18	19	21	24	27	30	33	35	38	41

Roller will be 2"

Roller will be 3"

- ▶ All shades over 144" in width are recommended to be motorized due to the weight of the shade.
- ▶ Shades wider than 70" must be railroaded.
- ▶ Shades wider than 70" and longer than 58" will have a visible horizontal seam.

Chart 2														
Inspiration Blackout														
HEIGHT TO:	WIDTH TO:													
	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	*144"	*156"	*168"
36"	104	124	134	152	170	179	186	213	255	295	348	398	440	490
48"	114	131	146	174	186	189	194	243	287	318	376	436	495	535
60"	126	146	157	186	200	206	209	261	319	352	393	455	540	590
72"	136	162	170	200	219	241	269	306	351	390	495	544	587	642
84"	144	173	187	219	234	260	284	336	383	430	567	579	637	677
96"	148	184	194	234	272	283	306	359	415	470	590	614	677	712
108"	168	203	219	282	304	326	341	405	447	505	625	666	706	753
120"	184	227	264	326	340	355	365	441	479	539	666	701	753	798
Each Add 12"	12	15	17	20	23	24	26	30	34	38	41	45	48	52

Roller will be 2"

Roller will be 3"

- ▶ All shades over 144" in width are recommended to be motorized due to the weight of the shade.
- ▶ Shades wider than 116" must be railroaded.
- ▶ Shades wider than 116" and longer than 104" will have a visible horizontal seam.

Chart 3														
R1 Screen														
HEIGHT TO:	WIDTH TO:													
	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	*144"	*156"	*168"
36"	105	133	146	164	178	201	225	262	286	372	393	478	525	574
48"	116	140	161	178	195	214	240	282	304	385	429	530	585	641
60"	129	149	167	188	210	224	251	287	330	405	443	584	652	737
72"	139	164	193	218	236	265	303	324	366	457	511	679	753	806
84"	165	183	211	236	262	293	323	355	396	491	551	716	782	874
96"	180	202	232	249	296	324	357	390	430	528	593	756	831	938
108"	218	234	266	283	334	370	390	434	497	556	636	799	870	1023
120"	244	266	297	329	375	421	419	476	545	609	697	857	956	1114
Each Add 12"	14	17	20	23	27	28	31	35	40	44	48	52	56	61

Roller will be 2"

Roller will be 3"

- ▶ All shades over 144" in width are recommended to be motorized due to the weight of the shade.
- ▶ Shades wider than 96" must be railroaded.
- ▶ Shades wider than 96" and longer than 84" will have a visible horizontal seam.



Price Charts - Retail

Chart 4														
E Screen 5% & 10%														
HEIGHT TO:	WIDTH TO:													
	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	*144"	*156"	*168"
36"	109	138	151	178	186	219	240	275	311	404	427	498	548	598
48"	120	145	167	194	209	233	257	306	331	419	450	553	610	668
60"	134	154	173	204	223	244	274	312	346	440	481	609	679	768
72"	144	170	200	237	257	288	300	352	383	497	556	685	760	814
84"	171	190	219	257	285	319	42	386	414	533	598	723	789	882
96"	187	209	240	271	313	352	388	424	440	573	644	764	839	946
108"	226	243	276	308	363	402	424	496	529	604	691	839	978	1056
120"	253	276	308	358	408	458	479	568	580	662	791	932	1074	1150
Each Add 12"	15	19	23	26	30	32	34	39	45	49	54	59	64	68

Roller will be 2"

Roller will be 3"

- ▶ All shades over 144" in width are recommended to be motorized due to the weight of the shade.
- ▶ E Screen 10%: Shades wider than 120" must be railroaded.
- ▶ E Screen 10%: Shades wider than 120" and longer than 108" will have a visible horizontal seam.
- ▶ E Screen 5%: Shades wider than 118" must be railroaded.
- ▶ E Screen 5%: Shades wider than 118" and longer than 106" will have a visible horizontal seam.

Chart 5														
M Screen 3%, 5% & Deco														
HEIGHT TO:	WIDTH TO:													
	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
36"	119	148	165	193	204	237	255	290	340	423	446	544	585	619
48"	134	158	184	212	235	257	273	327	360	432	465	602	645	709
60"	143	169	200	224	245	265	300	343	376	461	499	660	728	756
72"	157	184	220	259	278	308	335	377	418	521	583	721	794	852
84"	187	206	240	278	308	351	375	408	456	563	621	774	863	915
96"	202	228	263	301	343	386	410	437	484	608	668	838	926	972
108"	245	270	303	348	391	432	450	465	599	637	721	916	983	1127
120"	276	303	341	391	441	490	505	529	632	697	817	1014	1069	1209
Each Add 12"	17	21	25	29	33	35	38	43	49	54	59	65	70	75

Roller will be 2"

Roller will be 3"

- ▶ All shades over 144" in width are recommended to be motorized due to the weight of the shade.
- ▶ M Screen Deco: Shades wider than 96" must be railroaded.
- ▶ M Screen Deco: Shades wider than 96" and longer than 84" will have a visible horizontal seam.
- ▶ M Screen 3% & 5%: Shades wider than 120" must be railroaded.
- ▶ M Screen 3% & 5%: Shades wider than 120" and longer than 108" will have a visible horizontal seam.



Price Charts - Retail

Chart 6														
Vela 3% & Inspiration Wood Look Collection														
HEIGHT TO:	WIDTH TO:													
	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
36"	127	159	176	207	217	248	274	310	373	453	469	555	612	643
48"	144	169	193	226	251	268	290	340	395	462	490	587	678	735
60"	155	180	215	251	272	278	305	357	412	495	532	675	763	778
72"	169	196	234	275	295	323	367	391	460	558	622	731	796	874
84"	200	221	258	295	329	367	391	420	503	604	662	786	869	936
96"	218	244	282	320	364	403	434	446	531	651	710	850	933	998
108"	252	290	326	373	418	450	487	524	656	680	769	929	1099	1149
120"	282	326	350	421	473	516	551	548	695	744	872	1028	1196	1234
Each Add 12"	19	24	28	33	38	40	43	49	56	62	68	74	80	86

Roller will be 2"

Roller will be 3"

- ▶ All shades over 144" in width are recommended to be motorized due to the weight of the shade.
- ▶ Vela 3%: Shades wider than 116" must be railroaded.
- ▶ Vela 3%: Shades wider than 116" and longer than 104" will have a visible horizontal seam.
- ▶ Inspiration Wood Look: Shades wider than 106" must be railroaded.
- ▶ Inspiration Wood Look: Shades wider than 106" and longer than 94" will have a visible horizontal seam.

Chart 7														
Satine 5%														
HEIGHT TO:	WIDTH TO:													
	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
36"	135	161	188	222	238	254	290	322	385	465	490	609	670	732
48"	153	180	213	245	271	292	325	357	403	507	553	684	732	830
60"	165	206	243	278	307	328	357	409	462	575	638	747	816	867
72"	184	233	277	312	343	363	402	454	514	643	676	812	897	960
84"	225	260	309	341	375	400	441	509	567	689	771	895	992	1114
96"	241	276	319	367	413	439	488	557	621	750	844	979	1065	1195
108"	260	302	345	399	448	477	532	603	737	834	918	1053	1139	1277
120"	287	331	376	433	490	535	580	656	786	897	990	1127	1215	1358
Each Add 12"	22	27	33	38	43	46	50	57	64	71	78	85	92	99

Roller will be 2"

Roller will be 3"

- ▶ All shades over 144" in width are recommended to be motorized due to the weight of the shade.
- ▶ Shades wider than 96" must be railroaded.
- ▶ Shades wider than 96" and longer than 84" will have a visible horizontal seam.

Satine is warranted for external use



Price Charts - Retail

Chart 8														
Blackout Xlite														
HEIGHT TO:	WIDTH TO:													
	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
36"	143	170	201	233	258	274	297	330	400	492	544	653	710	776
48"	164	200	238	258	300	323	345	395	443	569	630	738	816	876
60"	189	229	270	298	327	375	396	449	508	648	711	837	923	992
72"	207	258	307	338	385	415	440	511	580	725	795	931	1015	1171
84"	228	288	330	368	422	458	490	564	639	799	882	1035	1134	1260
96"	263	317	364	409	463	503	546	622	719	871	966	1119	1231	1352
108"	284	345	395	444	503	545	593	684	846	968	1050	1205	1317	1444
120"	314	378	430	482	550	594	645	734	909	1020	1149	1289	1422	1537
Each Add 12"	26	32	38	45	51	54	58	67	75	84	91	100	108	116

Roller will be 2"

Roller will be 3"

- ▶ All shades over 144" in width are recommended to be motorized due to the weight of the shade.
- ▶ Shades wider than 116" must be railroaded.
- ▶ Shades wider than 116" and longer than 104" will have a visible horizontal seam.

Chart 9														
Flocke														
HEIGHT TO:	WIDTH TO:													
	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
36"	179	212	251	292	334	356	396	452	519	630	688	768	914	997
48"	205	250	297	344	389	430	472	540	623	769	840	923	1115	1217
60"	236	286	338	397	447	500	543	642	758	913	974	1122	1324	1412
72"	259	323	383	451	527	554	628	730	846	1020	1074	1252	1479	1557
84"	284	360	429	503	578	610	700	817	933	1094	1224	1381	1586	1775
96"	329	396	485	559	634	670	779	915	1049	1193	1342	1552	1730	1945
108"	355	432	526	608	689	726	846	1037	1209	1325	1458	1789	1922	2114
120"	392	473	573	660	754	792	921	1129	1317	1500	1574	1949	2175	2282
Each Add 12"	41	50	60	70	80	85	92	105	119	132	144	157	170	183

Roller will be 2"

Roller will be 3"

- ▶ All shades over 144" in width are recommended to be motorized due to the weight of the shade.
- ▶ Shades wider than 76" must be railroaded.
- ▶ Shades wider than 76" and longer than 64" will have a visible horizontal seam.



Price Charts - Retail

Chart 10									
Inspiration Shear Elegant Wood Look Collection									
HEIGHT TO:	WIDTH TO:								
	37"	46"	55"	64"	73"	78"	84"	96"	108"
36"	234	278	330	383	439	467	520	593	682
48"	269	328	390	452	510	565	620	709	818
60"	309	375	443	521	587	656	712	842	995
72"	340	423	503	592	692	727	824	958	1111
84"	373	473	563	661	758	801	919	1072	1225
96"	432	519	636	734	832	879	1023	1200	1377
108"	466	567	690	798	905	953	1111	1360	1492
120"	515	621	752	867	989	1040	1209	1481	1610
Each Add 12"	39	48	57	66	76	81	87	99	115

► Shades come with a cassette at no additional charges.

Roller Shade Options - NET PRICING

Cutouts	\$20.00/Each (Net)
Fascia Fabric Wrap Surcharge (in addition to fascia pricing).....	\$20.00 (Net)
3" Curved and Square Fascia	\$10.00/Ft (Net)
Available in White, Alabaster, Bronze, Anodized, Black	
Maximum Dimensions: 96" x 96"	
N/A with spring assist or side channels	
4" Curved and Square Fascia.....	\$11.50/Ft (Net)
Available in White, Alabaster, Bronze, Anodized, Black	
Available with spring assist, side channels, battery and AC motorization	
Cassette w/o fabric insert.....	\$12.50/Ft (Net)
Available in White, Alabaster, Bronze, Black	
Available with spring assist, side channels, battery and AC motorization	
Cassette w/ fabric insert.....	\$17.50/Ft (Net)
Available in White, Alabaster, Bronze, Black	
Available with spring assist, side channels, battery and AC motorization	
Spring Assist.....	\$99.00/Shade (Net)
Available for use with the cassette and 4" Fascia	
Side Channels (Left and Right).....	\$9.50/Ft (Net)
Available in white only	
Bottom Channels (Left and Right).....	\$5.00/Ft (Net)
Available in white only	
Custom trimming of side & bottom channels will be required onsite by the installer	
Dual Shade Bracket.....	\$24.00/Set (Net)
Intermediate Bracket	\$40.00/Each (Net)
Connects two shades together that are operated using one control	
Center Support Bracket.....	\$40.00/Each (Net)
Connects two shades together that s are operated using two individual controls	



AC Motorization - Net Pricing

Simplicity (110V AC) - Radio Technology (Ultra-Quiet).....	\$200.00 (Net)
Maximum Dimensions: 144" x 144" (120" x 120" for Flocke, Satine, and Blackout Xlite)	
Somfy Sonesse 50 (110V AC) - Radio Technology (Ultra-Quiet).....	\$335.00 (Net)
Maximum Dimensions: 144" x 144" (120" x 120" for Flocke, Satine, and Blackout Xlite)	
Somfy 500 Series (110V AC) - Standard.....	\$266.50 (Net)
Must be hardwired to a wall switch (not included in above price) *No Size Restrictions*	
Somfy 500 Series 110V AC - Radio Technology.....	\$360.00 (Net)
No Size Restrictions	

AC Motors come with a 60" Cable

Battery Motorization - Net Pricing

Somfy LT30 (12V) - Infrared.....	\$150.00 (Net)
Maximum Dimensions: 84" x 84"	
Somfy LT30 (12V) - Radio Technology.....	\$199.00 (Net)
Maximum Dimensions: 84" x 84"	

Motorization Accessories - Net Pricing


Simplicity 1 Channel Remote.....	\$10.00 (Net)
Simplicity 5 Channel Remote.....	\$40.00 (Net)
Radio Technology 1 Channel Remote.....	\$53.14 (Net)
Radio Technology 5 Channel Remote.....	\$68.97 (Net)
Radio Technology 20 Channel Remote.....	\$343.07 (Net)
IR 1 Channel Remote.....	\$26.00 (Net)
IR 8 Channel Remote.....	\$31.18 (Net)
Standard Wall Switch.....	\$16.34 (Net)
Radio Technology 1 Channel Wall Switch.....	\$124.00 (Net)
Radio Technology 5 Channel Wall Switch.....	\$130.00 (Net)
Radio Technology 24 hr./7 day Wireless Timer.....	\$174.58 (Net)
12 Ft. Motor Cable.....	\$16.66 (Net)
18 Ft. Motor Cable.....	\$22.59 (Net)
24 Ft. Motor Cable.....	\$30.92 (Net)

***Remotes & Wall Switches are priced separately ***




Installation

- 1. MOUNT THE BRACKETS.** The open end of each bracket faces downward, as shown in the drawing below. **NOTE:** If you have an inside mount and must use “inside mount holes,” you will have to drill your own holes in the side of the bracket. Use at least two screws per bracket. Use at least two screws per bracket, and make sure that the screw heads clear the clutch.



- 2. INSTALL THE SHADE.** Push the clutch straight onto the blade of its bracket. The bottom of the clutch should always point straight down as shown above. Lower the lug of the end plug onto the “V” of its bracket. The roller should fit in the brackets securely, with just a little play.
- 3. ATTACH STOPS TO METAL OR PLASTIC BEAD CHAIN.** **For plastic bead chain:** use connector for top stop and attach another connector for lower stop. **For metal bead chain:** attach a metal stop ball at least 5/16” (8 mm) in diameter so that it touches the clutch when the shade is rolled all the way up. For both kinds of bead chain, lower the shade to sill or floor height, and snap the appropriate metal stop or plastic connector on the opposite side from the stop, so that the shade cannot be lowered beyond that point.
- 4. INSTALL THE TENSION DEVICE.** The Tension Device reduces the hazards of strangulation and entanglement of young children by limiting access to the control cord. Anchor the Tension Device, that is attached to the shade’s control cord or bead chain, to the window frame or wall, so that young children cannot pull the cord or bead chain around their necks.
 - Lower the shade.
 - Hold the Tension Device upright so that Warning Tags hangs straight down as shown in diagram.
 - Position the Tension Device on the window frame or the wall so that the Tension Device and control cord do not interfere with raising or lowering the shade. **The Tension Device should be installed without stretching or pulling down on the control cord. Stretching the cord will cause extensive wear. Do not twist or cross the control cord.** If using stop balls on bead chain, position the Tension Device 1/4 inch higher to allow the stop ball to pass through the Tension Device.
 - Holding the Tension Device upright, and in position, as shown, insert and secure the screw through the hole. The mounting screw must be secured into a solid surface or molly.



- 5. USE THE CONTROL OR BEAD CHAIN TO OPERATE THE SHADE.** Pulling gently on one side of the control cord or bead chain raises the shade; pulling down on the other side lowers it.



Fabric Weights

Pattern	Weight
Blackout Xlite	8.8 oz/yd ²
E Screen 5%	12.1 oz/yd ²
E Screen 10%	10.3 oz/yd ²
Flocke	12.3 oz/yd ²
Inspiration Blackout Fabrics Collection	14 oz/yd ²
Inspiration Wood Look Collection	4.5 oz/yd ²
Inspiration Shear Elegant Wood Look	4.5 oz/yd ²
M Screen 3%	12.7 oz/yd ²
M Screen 5%	12.1 oz/yd ²
M Screen Deco	11.3 oz/yd ²
R1 5%	12.1 oz/yd ²
Satine 5%	15.8 oz/yd ²
Vela 3%	4.71 oz/yd ²

Limited Warranty

Universal’s Roller Shades will be free from defects in materials and workmanship for a guaranteed two years, provided that the product was installed properly and in accordance with the roller shade installation instructions. This limited warranty is extended to the original purchaser only, in the original window for which it was intended.

This warranty does not include any conditions or damages resulting from accidents, alterations, sun exposure, misuse, abuse, or failure to follow printed instructions on installation, care and cleaning, or repairs. This warranty also does not apply to conditions resulting from normal wear and tear.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER OBLIGATIONS, LIABILITIES OR WARRANTIES. In no event shall the manufacturer of Universal’s Roller Shades or its licensed fabricators or distributors be liable for INCIDENTAL OR CONSEQUENTIAL DAMAGES, or for any other damage, loss or expense, cost or fee associated with such damage. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply.



Roller Shade Order Form

REQUEST CONFIRMATION

Customer Service: 407-275-1455 Ext. 1
800-494-9636

WINDOW COVERINGS, INC.
12139 Science Dr, Orlando, FL 32826

Account #: _____ Ship To: _____ Date: _____

Customer: _____ Need By: _____

Address: _____ PO #: _____

City: _____ State: _____ ZIP: _____ Sidemark: _____

Telephone: _____ Ordered By: _____

Bottom Rail: Sew-In Weight Aluminum (Specify Color) _____

Valance (Specify Color): No Valance 4" Flat Fascia 3" Curved Fascia Cassette w/o Insert 3" Flat Fascia Cassette w Insert 4" Curved Fascia

BP Motor Options: (Choose battery & a remote) IR Battery Motor RF Battery Motor 1 Channel Remote Multi Channel Remote

AC Motor Options: (Choose cable & bracket) 3' Motor Cable 6' Motor Cable 12' Motor Cable 18' Motor Cable 24' Motor Cable


Motor Bracket Idle Bracket Wall Switch

Fabric Options (Check Fabric Size maximums):

Railroad Fabric (Specify in Notes) Thermal Welding (Specify in Notes)

Notes: _____

QTY	ROOM LOCATION	WIDTH	LENGTH	PATTERN	COLOR	MOUNT	CONTROLS	CHAIN	HOLD - DOWNS	SPACERS	ROLL DIRECTION	GUIDED
						IM / OM	Left / Right AC / BP Motor	Plastic (std) NPB # 10	Yes / No	Yes / No	Std / Rev	Yes / No
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												



UNIVERSAL WINDOW COVERINGS, INC.

12139 Science Dr. Suite 101 Orlando, FL 32826

(407) 275-1455 1-800-494-9636 FAX (407) 275-6919 FAX 1-866-872-0672



